

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s): Williams Application No.: 10/568,520 Filed: 2/14/2006 Title: Dry Chemical System for Extinguishing Difficult Fuel or Flammable Liquid Fires in an Industrial Tank w/ Roof Creating Space Above the Liquid(PCT50197) Attorney Docket No.: 50262	Art Unit: Examiner:
---	----------------------------

PRELIMINARY AMENDMENT UNDER 37 CFR 1.115
NOTICE OF CORRESPONDENCE ADDRESS

Commissioner for Patents
 P.O. Box 1450
 Alexandria, VA 22313-1450

Dear Sir:


In regard to the above referenced application, our software inadvertently omitted our correspondence address from the §371 application form. Please add our correspondence address to this case:

Sue Z. Shaper, PC
1800 West Loop South, Suite 1450
Houston, TX 77027
(713) 550-5710
(713) 550-5709
sshaper@msn.com

Please forward a filing receipt, notice of missing parts, if any, and any other papers as soon as possible. Fax would be appreciated.

Respectfully Submitted,

9/13/06
 Date


 Sue Z. Shaper

Reg. No. 31663

Sue Z. Shaper
 1800 West Loop South, Suite 1450
 Houston, Texas 77027
 Tel. 713 550 5710 Fax 713 550 5709
 sshaper@msn.com

S:\Documents and Settings\Sue Shaper\My Documents\Shaper\Williams\50262 Patent FAX re correspondence add.doc